

Environment Protection Licence

Licence - 4627

Licence Details	
Number:	4627
Anniversary Date:	01-December

Licensee
CPB CONTRACTORS PTY LIMITED
PO BOX 6120
ALEXANDRIA NSW 2015

Premises
NEW M5 ST PETERS INTERCHANGE
10-16 ALBERT STREET
ST PETERS NSW 2044

Scheduled Activity
Crushing, grinding or separating
Road construction

Fee Based Activity	Scale
Crushing, grinding or separating	> 100000-500000 T annual processing capacity
Road construction	0-10 km of road constructed, widened or re-routed

Region
Metropolitan Infrastructure
Level 13, 10 Valentine Ave
PARRAMATTA NSW 2150
Phone: (02) 9995 5000
Fax: (02) 9995 6900
PO Box 668
PARRAMATTA NSW 2124



Environment Protection Licence

Licence - 4627

INFORMATION ABOUT THIS LICENCE	4
Dictionary	4
Responsibilities of licensee	4
Variation of licence conditions	4
Duration of licence	4
Licence review	4
Fees and annual return to be sent to the EPA	4
Transfer of licence	5
Public register and access to monitoring data	5
1 ADMINISTRATIVE CONDITIONS	6
A1 What the licence authorises and regulates	6
A2 Premises or plant to which this licence applies	6
A3 Information supplied to the EPA	6
2 DISCHARGES TO AIR AND WATER AND APPLICATIONS TO LAND	7
P1 Location of monitoring/discharge points and areas	7
3 LIMIT CONDITIONS	9
L1 Pollution of waters	9
L2 Concentration limits	9
L3 Noise limits	11
L4 Hours of operation	11
L5 Potentially offensive odour	14
4 OPERATING CONDITIONS	14
O1 Activities must be carried out in a competent manner	14
O2 Maintenance of plant and equipment	14
O3 Dust	14
O4 Emergency response	14
O5 Processes and management	15
O6 Waste management	16
5 MONITORING AND RECORDING CONDITIONS	18
M1 Monitoring records	18
M2 Requirement to monitor concentration of pollutants discharged	18
M3 Testing methods - concentration limits	22
M4 Environmental monitoring	22
M5 Weather monitoring	23



Environment Protection Licence

Licence - 4627

M6	Recording of pollution complaints	23
M7	Telephone complaints line	24
6	REPORTING CONDITIONS	25
R1	Annual return documents	25
R2	Notification of environmental harm	26
R3	Written report	26
R4	Other reporting conditions	27
7	GENERAL CONDITIONS	28
G1	Copy of licence kept at the premises or plant	28
G2	Contact number for incidents and responsible employees	28
8	POLLUTION STUDIES AND REDUCTION PROGRAMS	29
U1	Odour management improvement program	29
9	SPECIAL CONDITIONS	29
E1	Definitions	29
DICTIONARY	31
	General Dictionary	31

Environment Protection Licence

Licence - 4627



Information about this licence

Dictionary

A definition of terms used in the licence can be found in the dictionary at the end of this licence.

Responsibilities of licensee

Separate to the requirements of this licence, general obligations of licensees are set out in the Protection of the Environment Operations Act 1997 ("the Act") and the Regulations made under the Act. These include obligations to:

- ensure persons associated with you comply with this licence, as set out in section 64 of the Act;
- control the pollution of waters and the pollution of air (see for example sections 120 - 132 of the Act);
- report incidents causing or threatening material environmental harm to the environment, as set out in Part 5.7 of the Act.

Variation of licence conditions

The licence holder can apply to vary the conditions of this licence. An application form for this purpose is available from the EPA.

The EPA may also vary the conditions of the licence at any time by written notice without an application being made.

Where a licence has been granted in relation to development which was assessed under the Environmental Planning and Assessment Act 1979 in accordance with the procedures applying to integrated development, the EPA may not impose conditions which are inconsistent with the development consent conditions until the licence is first reviewed under Part 3.6 of the Act.

Duration of licence

This licence will remain in force until the licence is surrendered by the licence holder or until it is suspended or revoked by the EPA or the Minister. A licence may only be surrendered with the written approval of the EPA.

Licence review

The Act requires that the EPA review your licence at least every 5 years after the issue of the licence, as set out in Part 3.6 and Schedule 5 of the Act. You will receive advance notice of the licence review.

Fees and annual return to be sent to the EPA

For each licence fee period you must pay:

- an administrative fee; and
- a load-based fee (if applicable).

Environment Protection Licence



Licence - 4627

The EPA publication “A Guide to Licensing” contains information about how to calculate your licence fees. The licence requires that an Annual Return, comprising a Statement of Compliance and a summary of any monitoring required by the licence (including the recording of complaints), be submitted to the EPA. The Annual Return must be submitted within 60 days after the end of each reporting period. See condition R1 regarding the Annual Return reporting requirements.

Usually the licence fee period is the same as the reporting period.

Transfer of licence

The licence holder can apply to transfer the licence to another person. An application form for this purpose is available from the EPA.

Public register and access to monitoring data

Part 9.5 of the Act requires the EPA to keep a public register of details and decisions of the EPA in relation to, for example:

- licence applications;
- licence conditions and variations;
- statements of compliance;
- load based licensing information; and
- load reduction agreements.

Under s320 of the Act application can be made to the EPA for access to monitoring data which has been submitted to the EPA by licensees.

This licence is issued to:

CPB CONTRACTORS PTY LIMITED
PO BOX 6120
ALEXANDRIA NSW 2015

subject to the conditions which follow.

Environment Protection Licence



Licence - 4627

1 Administrative Conditions

A1 What the licence authorises and regulates

A1.1 This licence authorises the carrying out of the scheduled activities listed below at the premises specified in A2. The activities are listed according to their scheduled activity classification, fee-based activity classification and the scale of the operation.

Unless otherwise further restricted by a condition of this licence, the scale at which the activity is carried out must not exceed the maximum scale specified in this condition.

Scheduled Activity	Fee Based Activity	Scale
Crushing, grinding or separating	Crushing, grinding or separating	> 100000 - 500000 T annual processing capacity
Road construction	Road construction	0 - 10 km of road constructed, widened or re-routed

A2 Premises or plant to which this licence applies

A2.1 The licence applies to the following premises:

Premises Details
NEW M5 ST PETERS INTERCHANGE
10-16 ALBERT STREET
ST PETERS
NSW 2044

A2.2 In relation to Condition A2.1, the premise is defined by the most recent premise maps held on EPA Electronic File EF16/3654 and approved in writing by the EPA.

A2.3 Premises maps must be available for public access on the project website(s) no more than 3 business days after approval by the EPA.

A3 Information supplied to the EPA

A3.1 Works and activities must be carried out in accordance with the proposal contained in the licence application, except as expressly provided by a condition of this licence.

In this condition the reference to "the licence application" includes a reference to:

a) the applications for any licences (including former pollution control approvals) which this licence replaces under the Protection of the Environment Operations (Savings and Transitional) Regulation 1998;

Environment Protection Licence

Licence - 4627



and

b) the licence information form provided by the licensee to the EPA to assist the EPA in connection with the issuing of this licence.

A3.2 The following documents (and any future amendments to them) are not to be taken as part of the documentation in A3.1, other than those parts specifically referenced in this licence:

- a) The licence operates subject to the Infrastructure approval under section 115ZB of the Environmental Planning & Assessment Act 1979, application no. SSI6788, dated 20 April 2016.
- b) Monitoring Plan - Alexandria Landfill, dated 3 March 2016 and prepared by Sydney Motorway Corporation Pty Ltd.

2 Discharges to Air and Water and Applications to Land

P1 Location of monitoring/discharge points and areas

P1.1 The following utilisation areas referred to in the table below are identified in this licence for the purposes of the monitoring and/or the setting of limits for any application of solids or liquids to the utilisation area.

P1.2 The following points referred to in the table are identified in this licence for the purposes of the monitoring and/or the setting of limits for discharges of pollutants to water from the point.

Water and land

EPA Identification no.	Type of Monitoring Point	Type of Discharge Point	Location Description
2	Groundwater Quality Monitoring		Groundwater monitoring point labelled as "MW1" on map titled "WestConnex Motorway Alexandria Landfill EPL 4627: Environmental Monitoring Locations 2" dated 21 September 2016.
3	Groundwater Quality Monitoring		Groundwater monitoring point labelled as "LDS-BH-3071" on map titled "WestConnex Motorway Alexandria Landfill EPL 4627: Environmental Monitoring Locations 2" dated 21 September 2016.
4	Groundwater Quality Monitoring		Groundwater monitoring point labelled as "LDS-BH-3071A" on map titled "WestConnex Motorway Alexandria Landfill EPL 4627: Environmental Monitoring Locations 2" dated 21 September 2016.

Environment Protection Licence

Licence - 4627



5	Groundwater Quality Monitoring		Groundwater monitoring point labelled as "LDS-BH-2023" on map titled "WestConnex Motorway Alexandria Landfill EPL 4627: Environmental Monitoring Locations 2" dated 21 September 2016.
6	Groundwater Quality Monitoring		Groundwater monitoring point labelled as "MW4b" on map titled "WestConnex Motorway Alexandria Landfill EPL 4627: Environmental Monitoring Locations 2" dated 21 September 2016.
7	Leachate Quality Monitoring		Leachate monitoring point labelled as "LP1" on map titled "WestConnex Motorway Alexandria Landfill EPL 4627: Environmental Monitoring Locations 2" dated 21 September 2016.
14	Surface Water Discharge	Surface Water Discharge	The outlet of sediment basins capturing surface water only, referred to in condition P1.5
15	Construction Water Treatment Discharge	Construction Water Treatment Discharge	The discharge of construction water associated with tunnelling works during construction at the St Peters Interchange site.

P1.3 The following points referred to in the table below are identified in this licence for the purposes of monitoring and/or the setting of limits for the emission of pollutants to the air from the point.

Air

EPA identification no.	Type of Monitoring Point	Type of Discharge Point	Location Description
9	Dust Monitoring		Air quality/dust monitoring point labelled as "DG1" on map titled "WestConnex Motorway Alexandria Landfill EPL 4627: Environmental Monitoring Locations 2" dated 21 September 2016.
10	Dust Monitoring		Air quality/dust monitoring point labelled as "DG2" on map titled "WestConnex Motorway Alexandria Landfill EPL 4627: Environmental Monitoring Locations 2" dated 21 September 2016.
11	Dust Monitoring		Air quality/dust monitoring point labelled as "DG3" on map titled "WestConnex Motorway Alexandria Landfill EPL 4627: Environmental Monitoring Locations 2" dated 21 September 2016.
12	Dust Monitoring		Air quality/dust monitoring point labelled as "DG4" on map titled "WestConnex Motorway Alexandria Landfill EPL 4627: Environmental Monitoring Locations 2" dated 21 September 2016.

Environment Protection Licence

Licence - 4627

16	Odour/Gas Monitoring	At the intersection of Campbell St and Barwon Park Rd, St Peters, specified as point D in document nr M5N-CORR-CDS-14022
17	Odour/Gas Monitoring	Near 238 Princes Highway, St Peters, specified as point A in document nr M5N-CORR-CDS-14022
18	Odour/Gas Monitoring	Opposite entrance of the Maritime Container Services Terminal along Canal Road, St Peters, specified as point B in document nr M5N-CORR-CDS-14022
19	Odour/Gas Monitoring	Opposite 22 Burrows Rd, St Peters, specified as point C in document nr M5N-CORR-CDS-14022
20	Odour/Gas Monitoring	Outside the St Peters Public School Church Street entrance

P1.4 The following points referred to in the table below are identified in this licence for the purposes of weather and/or noise monitoring and/or setting limits for the emission of noise from the premises.

Noise/Weather

EPA identification no.	Type of monitoring point	Location description
13	Meteorological Station	Latitude: -33.913928 Longitude: 151.180205

P1.5 The discharge points 14 and 15 referred to in condition P1.2 are active water discharge points from sediment basins and Construction Water Treatment Plants identified in the spreadsheet titled *Temporary Sediment Basin and Construction Water Treatment Plants Discharge Point Schedule* and maintained on electronic file SF16/21394

P1.6 The licensee must notify the EPA in writing, at least 48 hours prior to a basin or water treatment plant discharge point becoming active or inactive. The notification must include an updated *Temporary Sediment Basin and Construction Water Treatment Plant Discharge Point Schedule*.
(Sediment basins are only considered active whilst accepting water directly from active construction areas).

3 Limit Conditions

L1 Pollution of waters

L1.1 Except as may be expressly provided in any other condition of this licence, the licensee must comply with section 120 of the Protection of the Environment Operations Act 1997.

L2 Concentration limits

Environment Protection Licence



Licence - 4627

- L2.1 For each monitoring/discharge point or utilisation area specified in the table\ below (by a point number), the concentration of a pollutant discharged at that point, or applied to that area, must not exceed the concentration limits specified for that pollutant in the table.
- L2.2 Where a pH quality limit is specified in the table, the specified percentage of samples must be within the specified ranges.
- L2.3 To avoid any doubt, this condition does not authorise the pollution of waters by any pollutant other than those specified in the table\.
- L2.4 Water and/or Land Concentration Limits

POINT 14

Pollutant	Units of Measure	50 Percentile concentration limit	90 Percentile concentration limit	3DGM concentration limit	100 percentile concentration limit
Oil and Grease	Visible				Not visible
pH	pH				6.5-8.5
TSS	milligrams per litre				50

POINT 15

Pollutant	Units of Measure	50 Percentile concentration limit	90 Percentile concentration limit	3DGM concentration limit	100 percentile concentration limit
pH	pH				6.5-8.5
TSS	milligrams per litre				50

- L2.5 Exceeding the limits specified in the previous condition of this licence for pH and total suspended solids (TSS) for discharges from the sediment basins, referred to as EPA identification no. 14, identified by Conditions P1.1 and P1.2 is only permitted when the discharge occurs solely as a result of rainfall measured at the premises. The rainfall must exceed rainfall depth value for the corresponding discharge point as described in condition P1.2
- L2.6 If the licensee uses turbidity (NTU) in place of TSS to determine compliance with Condition L2.4, the licensee must develop a statistical correlation which identifies the relationship between NTU and TSS for water quality from the discharge points in order to determine the NTU equivalent of 50 mg/L TSS before its use.

Environment Protection Licence



Licence - 4627

- L2.7 The EPA may make a written request for a copy of the statistical correlation assessment and methodology to determine compliance with condition L2.4 if required.

L3 Noise limits

- L3.1 All works and activities must be undertaken in a manner that will minimise noise and vibration impacts on sensitive receivers.
- L3.2 The licensee must ensure that all feasible and reasonable noise and vibration mitigation and management measures are implemented during construction work authorised by this licence in accordance with the *Interim Construction Noise Guideline, Department of Environment and Climate Change* (DECC) 2009.

L4 Hours of operation

- L4.1 Unless otherwise specified by any other condition of this licence, construction work is:
- (a) restricted to between the hours of 7:00 am and 6:00 pm Monday to Friday;
 - (b) restricted to between the hours of 8:00 am and 1:00 pm Saturday; and
 - (c) not to be undertaken on Sundays or Public Holidays.

L4.2 Work generating high noise impact

Unless otherwise specified by any other condition of this licence, high noise impact works must only be undertaken:

- a) between the hours of 8:00am and 6:00pm Monday to Friday;
- b) between the hours of 8:00am and 1:00pm Saturday; and
- c) in continuous blocks of no more than 3 hours, with at least a 1 hour respite between each block of work generating high noise impact, where the location of the work is likely to impact the same receivers; except as expressly permitted by another condition of this licence.

For the purposes of this Condition 'continuous' includes any period during which there is less than a 1 hour respite between ceasing and recommencing any of the work the subject of this Condition.

- L4.3 Condition L4.2 does not apply to high noise impact work as defined in condition E1.1 (Special Dictionary) when it is generating a predicted and validated LAeq(15 minute) noise level below the highly noise affected level at the most noise effected residences or at other sensitive land uses.

Note: A 5 dB(A) penalty should be factored into the predicted noise levels in the qualitative assessment of high impact work, as stated in Section 4.5 of the ICNG.

L4.4 Notification of works approved outside of standard construction hours

- a) The licensee must notify potentially affected noise sensitive receivers of works approved outside of standard construction hours not less than 5 days and not more than 14 days before those works are to be undertaken.

Environment Protection Licence



Licence - 4627

b) The notification must be:

- by letterbox drop or email; and
- be detailed on the project website.

c) The notification required by paragraphs (a) and (b) of this condition must:

- clearly outline the reason that the work is required to be undertaken outside the hours specified in Condition L4.1;
- include a diagram that clearly identifies the location of the proposed works in relation to nearby cross streets and local landmarks;
- include details of relevant time restrictions that apply to the proposed works;
- clearly outline, in plain English, the location, nature, scope and duration of the proposed works;
- detail the expected noise impact of the works on noise sensitive receivers;
- clearly state how complaints may be made and additional information obtained; and
- include the number of the telephone complaints line required by Condition M7.1, an after hours contact phone number specific to the works undertaken outside the hours specified in Condition L4.1, and the project website address.

Note: For the avoidance of doubt condition L4.4 does not apply to works undertaken pursuant to condition L4.7 a) or b) or condition L4.11

L4.5 The licensee may undertake works outside of standard construction hours if agreement between the licensee and a substantial majority of potentially affected sensitive receivers has been reached

L4.6 Any agreement(s) between the licensee and the potentially affected noise sensitive receivers referred to in Condition L4.5 must be recorded in writing and a copy of the agreement(s) kept on the premises by the licensee for the duration of this licence.

L4.7 The licensee may undertake construction work out of hours if that work does not cause;

- a) LAeq(15 minute) noise levels no more than 5 dB(A) above rating background level at any residence in accordance with the Interim Construction Noise Guideline (Department of Environment and Climate Change, 2009); and
- b) LAeq(15 minute) noise levels no more than the noise management levels specified in Table 3 of the Interim Construction Noise Guideline (Department of Environment and Climate Change, 2009) at other sensitive receivers; and
- c) continuous or impulsive vibration values, measured at the most affected residence, greater than those for human exposure to vibration, set out for residences in Table 2.2 to the technical guideline 'Environmental Noise Management Assessing Vibration' published by the Department of Environment and Conservation in February 2006, and
- d) intermittent vibration values, measured at the most affected residence, greater than those for human exposure to vibration, set out for residences in Table 2.4 to the technical guideline 'Environmental Noise Management Assessing Vibration' published by the Department of Environment and Conservation in

Environment Protection Licence



Licence - 4627

February 2006.

L4.8 Works Approved Outside of Standard Construction Hours

Activities and works may be undertaken outside of standard construction hours specified in L4.1 but only if one or more of the following applies:

(i) carrying on those works and activities during the hours specified in Condition L4.1 would cause unacceptable risks to one or more of the following:

- (1) construction personnel safety;
- (2) road user and public safety;
- (3) road network operational performance as may be notified from time to time by the Roads and Maritime Services; and/or
- (4) essential utility services; and/or

(ii) the TfNSW Transport Management Centre (or other road authority) refuse to issue a road occupancy licence for the works or activities during the hours specified in Condition L4.1.

(iii) Sydney Trains require a Rail Possession (involving week night and/or weekend rail shutdown) for the works or activities to be performed.

L4.9 In undertaking any works or activities under Condition L4.8 the licensee must:

- (i) comply with the most recent revision of the 'Manage Environment Noise Issues Procedure', that is held on file and approved in writing by the EPA; and
- (ii) implement noise and vibration mitigation detailed in the Interim Construction Noise Guidelines (DECC 2009).

L4.10 A copy of the 'Out of Hours Work Procedure' must be available for public access on the project website.

L4.11 The licensee may undertake works outside of standard construction hours if:

(i) the delivery of oversized plant or structures has been determined by the police or other authorised authorities to require special arrangements to transport along public roads; or

(ii) emergency work is required to avoid the loss of lives or property, or to prevent environmental harm.

L4.12 Tunnelling works may be undertaken 24 hours per day, seven days per week provided that works and mitigations are as per the description provided in M5N-ES-RPT-PWD-0011-03- Construction Noise and Vibration Impact Statement: Tunnelling.

L4.13 Tunnel Support Activities may be undertaken at the St Peters tunnelling site, 24 hours per day, seven days per week, provided that works and mitigations are as per the descriptions provided in the Construction Noise and Vibration Impact Statements for this site.

Environment Protection Licence

Licence - 4627



L5 Potentially offensive odour

L5.1 No condition of this licence identifies a potentially offensive odour for the purposes of section 129 of the Protection of the Environment Operations Act 1997.

Note: Section 129 of the Protection of the Environment Operations Act 1997, provides that the licensee must not cause or permit the emission of any offensive odour from the premises but provides a defence if the emission is identified in the relevant environment protection licence as a potentially offensive odour and the odour was emitted in accordance with the conditions of a licence directed at minimising odour.

4 Operating Conditions

O1 Activities must be carried out in a competent manner

O1.1 Licensed activities must be carried out in a competent manner.

This includes:

- a) the processing, handling, movement and storage of materials and substances used to carry out the activity; and
- b) the treatment, storage, processing, reprocessing, transport and disposal of waste generated by the activity.

O2 Maintenance of plant and equipment

O2.1 All plant and equipment installed at the premises or used in connection with the licensed activity:

- a) must be maintained in a proper and efficient condition; and
- b) must be operated in a proper and efficient manner.

O3 Dust

O3.1 Trucks entering and leaving the premises that are carrying loads must be covered at all times, except during loading and unloading.

O3.2 The licensee must ensure that no material, including sediment or oil, is tracked from the premises.

O3.3 The licensee must ensure that construction work is carried on by such practicable means as may be necessary to minimise dust emissions on the premises, and implement all feasible and reasonable mitigation measures to minimise the release of dust from the premises.

O4 Emergency response

O4.1 The licensee must prepare, maintain and implement as necessary, a current Pollution Incident Response Management Plan (PIRMP) for the premises.

Note: NOTE: The licensee must develop their PIRMP in accordance with the requirements in Part 5.7A of the

Environment Protection Licence

Licence - 4627



Protection of the Environment Operations Act 1997 (the POEO Act) and the Protection of the Environment Operations (Waste) Regulation 2014.

- O4.2 The licensee must have adequate fire prevention measures in place, and ensure that facility personnel are able to access fire-fighting equipment and manage fire outbreaks at any part of the premises.
- O4.3 The licensee must extinguish fires at the premises as soon as possible.

O5 Processes and management

- O5.1 The licensee must take all practicable steps to control entry to the premises.
- O5.2 The premises must be maintained in a condition which prevents the pollutants entering the stormwater system.
- O5.3 Erosion and sediment controls must be designed (stability, location, type and size), constructed, operated and maintained in accordance with the guideline "Managing Urban Stormwater – Soils and Construction, Volume 2D, Main road construction" DECC 2008, to be read and used in conjunction with volume 1 "Managing urban stormwater: soils and construction" Landcom 2004.
- O5.4 The licensee must ensure the design storage capacity of any sediment basin installed on the premises is reinstated within 5 days of the cessation of a rainfall event that causes runoff to occur on or from the premises.
- O5.5 The licensee must ensure that sampling point(s) for water discharged from the sediment basin(s) are provided and maintained in an appropriate condition to permit:
 - a) the clear identification of each sediment basin and discharge point;
 - b) the collection of representative samples of the water discharged from the sediment basin(s); and
 - c) access to the sampling point(s) at all times by an authorised officer of the EPA.
- O5.6 The licensee must endeavour to maximise the reuse of captured stormwater on the premises.
- O5.7 Where sediment basins are necessary, all sediment basins and associated drainage must be installed and commissioned prior to the commencement of any clearing or grubbing works within the catchment area of the sediment basin that may cause sediment to leave the site.
Note: This condition does not apply to those works associated with the actual installation of sediment basins or associated drainage.
- O5.8 The licensee must inspect the operation of all erosion and sediment controls installed on the premises and undertake any works required to repair and/or maintain these controls:
 - a) at least weekly during normal construction hours outlined in condition L4.1;

Environment Protection Licence



Licence - 4627

- b) daily during periods of rainfall that causes runoff to occur ; and
- c) prior to any site closure of greater than 24 hours.

O5.9 The licensee must record all such inspections, including observations and works undertaken to repair and/or maintain soil and water management works.

O5.10 Community Engagement

a) The licensee must provide a Community Information Centre within the main Site Office at 25-29 Burrows Road, St Peters, that will be available to the community during business hours. The Community Information Centre must provide images and relevant information on the project and be staffed by a Community Liaison Team member to provide answers to any community concerns/enquiries.

b) The community information display must include details of upcoming construction activities (including out of hours activities), nature and timing of such activities and relevant contact details. The information must include at a minimum, details of up and coming activities that are to occur over the next month.

c) The licensee must convene and hold community meetings or open forums in relation to the project, including (but not limited to) key construction activities and/or key project milestones, at least once every three months.

d) The licensee must keep minutes of any community meeting held in accordance with this condition and must submit a copy of the relevant minutes to the EPA when requested by an EPA officer.

e) The licensee must provide an update to affected residents, businesses and St Peters Public School when there is new or updated information to provide about odour management on the premises.

f) The licensee must issue an immediate alert to affected residents, businesses and St Peters Public School that may be impacted by odour when an odour incident occurs. This will include the odour mitigation measures being employed.

O6 Waste management

O6.1 There must be no incineration or burning of any waste at the premises.

O6.2 The "Waste Covering Management Plan" referenced M5N-ES-PLN-PWD-0030 dated 30 March 2016 must be implemented in areas where waste is uncovered and or exhumed. Where other conditions in this licence are inconsistent with the management methods as described in this plan, the licence conditions overwrite the plan.

O6.3 Leachate must only be disposed of by pumping to sewer, or removed from the premises by tanker and disposed of lawfully off-site.

O6.4 All water contained within any areas where waste is uncovered or exhumed must be managed as leachate.

O6.5 Leachate must not be used in the truck wash facility at the premises.

Environment Protection Licence



Licence - 4627

- O6.6 Leachate must not be irrigated and/or used for dust control at the premises.
- O6.7 Licensee must take all reasonable and feasible measures to prevent leachate from pooling on the premises.
- O6.8 Any pooled leachate must be covered or removed from the surface of the earthworks as soon as practicable.
- O6.9 The excavation of material on the premises can only be undertaken if those works do not intercept leachate or generate further leachate as a result of the works. To achieve this condition, the licensee must ensure that leachate levels are appropriately managed to ensure leachate is not encountered during any excavation on the premises.

If leachate is encountered or there is potential for further leachate generation, works in the area must cease (except works to manage and mitigate leachate) until such time that leachate levels are reduced to below the excavated area.

- O6.10 Condition O6.9 does not apply to works undertaken for the construction of sumps or other infrastructure necessary to dewater leachate and for installation of piles.

Landfill Closure

- O6.11 The former landfill must be closed substantially in accordance with the document “Technical Report: St Peters Interchange – Landfill Closure Management Plan LCMP, Golders Associates, 11 May 16, Document: M5N-MNP-900-300-WT-9400-DE (the LCMP) and Annexures.” This includes capping layers comprising from bottom to top a :
 - a. 300 mm thick seal bearing layer
 - b. 600mm thick clay layer with a maximum permeability of 10⁻⁹ meters per second or a geosynthetic clay liner and a 200 mm thick clay layer with a maximum permeability of 10⁻⁹ meters per second,
 - c. 400mm thick subsoil layer, and
 - d. 100 mm thick topsoil layer.
- O6.12 The licensee must progressively cover the landfill, with a 300 mm thick layer of cover material, within five days after the final contours have been graded.
- O6.13 A floor liner and leachate collection system must be installed below the waste mound. The system must be substantially in accordance with 3.8.3 of the LCMP and comprise leachate feeder drains, a 200mm thick bearing layer, a 500 mm thick layer of clay rich material, leachate drainage aggregate and leachate collection drains.
- O6.14 The licensee must install the vertical barrier wall substantially in accordance with the document “St Peters Interchange – Barrier Wall Final Design (100%) Golders Associates, March 16, Document: M5N-GOL-DPK 900-302-WT-9420-E and Annexures.”
- O6.15 Leachate management must be substantially in accordance with section 3.8 of the LCMP. Leachate must be collected and conveyed to the leachate treatment plant and discharged to sewer.
- O6.16 Any subsequent detailed leachate management design reports must be submitted to the EPA.

Environment Protection Licence

Licence - 4627



- O6.17 Landfill gas management comprising passive, shallow gas collection and venting, and active gas extraction via deep wells and flaring must be installed substantially in accordance with section 3.7 of the LCMP.
- O6.18 The licensee must install approximately 40 gas monitoring wells as proposed in section 3.7.4 of the LCMP.
- O6.19 The licensee must install approximately eleven groundwater monitoring wells and the leachate collection sump/s proposed in 5.4.1.3 of the LCMP.
- O6.20 Within three (3) months of practical completion of the closure works the licensee must submit the following reports to the EPA:
1. a Construction Quality Assurance Report in accordance with section 3.10 of the LCMP and section 11.2 NSW Environmental Guidelines Solid Waste Landfills second edition 2016, and
 2. plans at a suitable scale of the installed barrier wall, leachate collection and conveyance systems, landfill gas management systems, and groundwater and gas monitoring wells including bore logs.

5 Monitoring and Recording Conditions

M1 Monitoring records

- M1.1 The results of any monitoring required to be conducted by this licence or a load calculation protocol must be recorded and retained as set out in this condition.
- M1.2 All records required to be kept by this licence must be:
- a) in a legible form, or in a form that can readily be reduced to a legible form;
 - b) kept for at least 4 years after the monitoring or event to which they relate took place; and
 - c) produced in a legible form to any authorised officer of the EPA who asks to see them.
- M1.3 The following records must be kept in respect of any samples required to be collected for the purposes of this licence:
- a) the date(s) on which the sample was taken;
 - b) the time(s) at which the sample was collected;
 - c) the point at which the sample was taken; and
 - d) the name of the person who collected the sample.

M2 Requirement to monitor concentration of pollutants discharged

- M2.1 For each monitoring/discharge point or utilisation area specified below (by a point number), the licensee must monitor (by sampling and obtaining results by analysis) the concentration of each pollutant specified in Column 1. The licensee must use the sampling method, units of measure, and sample at the frequency, specified opposite in the other columns:

Environment Protection Licence

Licence - 4627

M2.2 Air Monitoring Requirements

POINT 9,10,11,12

Pollutant	Units of measure	Frequency	Sampling Method
Total suspended particles	grams per square metre per month	Monthly	Australian Standard 3580.10.1-2003

POINT 16,17,18,19,20

Pollutant	Units of measure	Frequency	Sampling Method
Ammonia	parts per million	Special Frequency 2	Representative sample
Hydrogen Sulfide	parts per million	Special Frequency 2	Representative sample
Odour	odour units	Special Frequency 2	Representative sample

M2.3 Water and/ or Land Monitoring Requirements

POINT 2,3,4,5,6

Pollutant	Units of measure	Frequency	Sampling Method
Alkalinity (as calcium carbonate)	milligrams per litre	Quarterly	Grab sample
Aluminium	milligrams per litre	Yearly	Grab sample
Arsenic	milligrams per litre	Yearly	Grab sample
Barium	milligrams per litre	Yearly	Grab sample
Benzene	milligrams per litre	Yearly	Grab sample
Bicarbonate	milligrams per litre	Quarterly	Grab sample
Cadmium	milligrams per litre	Yearly	Grab sample
Calcium	milligrams per litre	Quarterly	Grab sample
Chloride	milligrams per litre	Quarterly	Grab sample
Chromium (hexavalent)	milligrams per litre	Yearly	Grab sample
Chromium (total)	milligrams per litre	Yearly	Grab sample
Cobalt	milligrams per litre	Yearly	Grab sample
Copper	milligrams per litre	Yearly	Grab sample
Ethyl benzene	milligrams per litre	Yearly	Grab sample
Fluoride	milligrams per litre	Yearly	Grab sample
Lead	milligrams per litre	Yearly	Grab sample
Magnesium	milligrams per litre	Quarterly	Grab sample
Manganese	milligrams per litre	Yearly	Grab sample
Mercury	milligrams per litre	Yearly	Grab sample

Environment Protection Licence

Licence - 4627

Nitrate	milligrams per litre	Yearly	Grab sample
Nitrite	milligrams per litre	Yearly	Grab sample
Nitrogen (ammonia)	milligrams per litre	Quarterly	Grab sample
Organochlorine pesticides	milligrams per litre	Yearly	Grab sample
Organophosphate pesticides	milligrams per litre	Yearly	Grab sample
pH	pH	Quarterly	Probe
Polycyclic aromatic hydrocarbons	milligrams per litre	Yearly	Grab sample
Potassium	milligrams per litre	Quarterly	Grab sample
Sodium	milligrams per litre	Quarterly	Grab sample
Standing Water Level	metres	Quarterly	In situ
Sulfate	milligrams per litre	Quarterly	Grab sample
Toluene	milligrams per litre	Yearly	Grab sample
Total dissolved solids	milligrams per litre	Quarterly	Grab sample
Total organic carbon	milligrams per litre	Yearly	Grab sample
Total petroleum hydrocarbons	milligrams per litre	Yearly	Grab sample
Total Phenolics	milligrams per litre	Yearly	Grab sample
Xylene	milligrams per litre	Yearly	Grab sample
Zinc	milligrams per litre	Yearly	Grab sample

POINT 7

Pollutant	Units of measure	Frequency	Sampling Method
Alkalinity (as calcium carbonate)	milligrams per litre	Quarterly	Grab sample
Aluminium	milligrams per litre	Quarterly	Grab sample
Arsenic	milligrams per litre	Quarterly	Grab sample
Barium	milligrams per litre	Quarterly	Grab sample
Benzene	milligrams per litre	Quarterly	Grab sample
Bicarbonate	milligrams per litre	Quarterly	Grab sample
Cadmium	milligrams per litre	Quarterly	Grab sample
Calcium	milligrams per litre	Quarterly	Grab sample
Chloride	milligrams per litre	Quarterly	Grab sample
Chromium (hexavalent)	milligrams per litre	Quarterly	Grab sample
Chromium (total)	milligrams per litre	Quarterly	Grab sample
Cobalt	milligrams per litre	Quarterly	Grab sample
Copper	milligrams per litre	Quarterly	Grab sample
Ethyl benzene	milligrams per litre	Quarterly	Grab sample
Fluoride	milligrams per litre	Quarterly	Grab sample
Lead	milligrams per litre	Quarterly	Grab sample
Magnesium	milligrams per litre	Quarterly	Grab sample
Manganese	milligrams per litre	Quarterly	Grab sample

Environment Protection Licence

Licence - 4627



Mercury	milligrams per litre	Quarterly	Grab sample
Nitrate	milligrams per litre	Quarterly	Grab sample
Nitrite	milligrams per litre	Quarterly	Grab sample
Nitrogen (ammonia)	milligrams per litre	Quarterly	Grab sample
Organochlorine pesticides	milligrams per litre	Quarterly	Grab sample
Organophosphate pesticides	milligrams per litre	Quarterly	Grab sample
pH	pH	Quarterly	Probe
Polycyclic aromatic hydrocarbons	milligrams per litre	Quarterly	Grab sample
Potassium	milligrams per litre	Quarterly	Grab sample
Sodium	milligrams per litre	Quarterly	Grab sample
Standing Water Level	metres	Quarterly	In situ
Sulfate	milligrams per litre	Quarterly	Grab sample
Toluene	milligrams per litre	Quarterly	Grab sample
Total dissolved solids	milligrams per litre	Quarterly	Grab sample
Total organic carbon	milligrams per litre	Quarterly	Grab sample
Total petroleum hydrocarbons	milligrams per litre	Quarterly	Grab sample
Total Phenolics	milligrams per litre	Quarterly	Grab sample
Xylene	milligrams per litre	Quarterly	Grab sample
Zinc	milligrams per litre	Quarterly	Grab sample

POINT 14

Pollutant	Units of measure	Frequency	Sampling Method
Oil and Grease	Visible	Special Frequency 1	Visual Inspection
pH	pH	Special Frequency 1	Probe
TSS	milligrams per litre	Special Frequency 1	Grab sample

POINT 15

Pollutant	Units of measure	Frequency	Sampling Method
pH	pH	Daily during any discharge	Probe
TSS	milligrams per litre	Daily during any discharge	Grab sample

M2.4 For the purposes of the table under condition M2.2, 'Special Frequency 2' means the frequency of odour and gas monitoring as required by condition M4.4 and M4.5.

For the purposes of condition M2.3 and the Table there to 'Special Frequency 1' means:

(a) less than 24 hours prior to a controlled discharge and daily for any continued controlled discharge; and

Environment Protection Licence



Licence - 4627

(b) when rainfall causes a discharge from a basin which has not been emptied within 5 days of the cessation of a rainfall event.

M3 Testing methods - concentration limits

M3.1 Subject to any express provision to the contrary in this licence, monitoring for the concentration of a pollutant discharged to waters or applied to a utilisation area must be done in accordance with the Approved Methods Publication unless another method has been approved by the EPA in writing before any tests are conducted.

Note: The *Protection of the Environment Operations (Clean Air) Regulation 2010* requires testing for certain purposes to be conducted in accordance with test methods contained in the publication "Approved Methods for the Sampling and Analysis of Air Pollutants in NSW".

M3.2 Monitoring for the concentration of a pollutant emitted to the air required to be conducted by this licence must be done in accordance with:

- a) any methodology which is required by or under the Act to be used for the testing of the concentration of the pollutant; or
- b) if no such requirement is imposed by or under the Act, any methodology which a condition of this licence requires to be used for that testing; or
- c) if no such requirement is imposed by or under the Act or by a condition of this licence, any methodology approved in writing by the EPA for the purposes of that testing prior to the testing taking place.

M4 Environmental monitoring

M4.1 Noise monitoring must be carried out in accordance with Australian Standard AS 2659.1 – 1998: Guide to the use of sound measuring equipment – Portable sound level meters, and the compliance monitoring guidance provided in the NSW Industrial Noise Policy.

M4.2 Vibration monitoring must be carried out in accordance with the guidance provided in the Environmental Noise Management Assessing Vibration: A Technical Guideline, published by the Department of Environment and Conservation, February 2006.

M4.3 The licensee must undertake noise and vibration monitoring as directed by an authorised officer of the EPA.

M4.4 The licensee must engage a suitably qualified independent consultant to undertake odour and gas (H₂S and NH₃) monitoring surveys around the perimeter of the premises. The surveys must be undertaken once a day, mid-afternoon. The licensee must keep records of these odour and gas surveys. The frequency of these odour and gas surveys can be decreased to once a week, if the survey identifies no offensive odour leaving the premises for 7 consecutive days.

Environment Protection Licence



Licence - 4627

- M4.5** The licensee must perform and record a daily perimeter odour survey if the independent odour survey is undertaken on a weekly basis. The daily perimeter odour survey is not required on Saturdays, Sundays and Public Holidays if no waste disturbance, movement or handling is occurring on the premises. Licensees staff performing odour surveys must have been trained by the independent odour consultant.
- M4.6** If an offensive odour is detected by the monitoring required under conditions M4.4 or M4.5, the licensee must as soon as practicable (i) notify the EPA by contacting the Environment Line tel 131 555, NSW Health and Department of Planning and Environment, and (ii) review the landfill management activities to ensure all reasonable and feasible measures are taken to mitigate odours and implement any improvements resulting from this review as soon as practicable.
- M4.7** The licensee can cease all odour surveys when all putrescible waste on the premises has been capped.
- M4.8** The licensee must submit a weekly odour and gas monitoring report to the EPA, NSW Health and the Department of Planning and Environment, which details the recorded odour and gas monitoring results as described in condition M4.4 and M4.5.

M5 Weather monitoring

- M5.1** At the point(s) identified below, the licensee must monitor (by sampling and obtaining results by analysis) the parameters specified in Column 1 of the table below, using the corresponding sampling method, units of measure, averaging period and sampling frequency, specified opposite in the Columns 2, 3, 4 and 5 respectively.

POINT 13

Parameter	Sampling method	Units of measure	Averaging period	Frequency
Rainfall	AM-4	millimetres	-	Daily
Wind Speed	AM-2 & AM-4	metres per second	1.5 hours	Continuous
Wind Direction at 10 metres	AM-2 & AM-4	-	1.5 hours	Continuous
Temperature at 10 metres	AM-4	degrees Celsius	1.5 hours	Continuous

- M5.2** Rainfall at the premises must be measured and recorded in millimetres per 24 hour period at the same time each day from the time that the site office associated with the activities permitted by this licence is established.

M6 Recording of pollution complaints

- M6.1** The licensee must keep a legible record of all complaints made to the licensee or any employee or agent of the licensee in relation to pollution arising from any activity to which this licence applies.

Environment Protection Licence



Licence - 4627

M6.2 The record must include details of the following:

- a) the date and time of the complaint;
- b) the method by which the complaint was made;
- c) any personal details of the complainant which were provided by the complainant or, if no such details were provided, a note to that effect;
- d) the nature of the complaint;
- e) the action taken by the licensee in relation to the complaint, including any follow-up contact with the complainant; and
- f) if no action was taken by the licensee, the reasons why no action was taken.

M6.3 The record of a complaint must be kept for at least 4 years after the complaint was made.

M6.4 The record must be produced to any authorised officer of the EPA who asks to see them.

M6.5 Daily Complaints Reports

a) The licensee must submit, by 2:00 pm each business day, a report to the EPA that provides details of all complaints received in relation to construction activities regulated by the licence on the telephone complaints line required by Condition M6.1. The licensee is not required to submit a report on a Saturday, Sunday or public holiday until not later than 2:00 pm on the following weekday that is not a public holiday. The licensee is not required to submit a report for any daily reporting period during which no complaints were received.

b) The report must:

- (i) be submitted to the email address nominated from time to time by the EPA;
- (ii) include a unique identifier number for each complaint;
- (iii) the details required by condition M6.2;
- (iv) include the date and time, as reported by the complainant, of the event the subject of the complaint;
- (v) include an outline of the work or activity the subject of the complaint; and
- (vi) include the complaints received between 12.00 pm on that day and 12.00pm on the previous business day.

M7 Telephone complaints line

M7.1 The licensee must operate during its operating hours a telephone complaints line for the purpose of receiving any complaints from members of the public in relation to activities conducted at the premises or by the vehicle or mobile plant, unless otherwise specified in the licence.

M7.2 The licensee must notify the public of the complaints line telephone number and the fact that it is a complaints line so that the impacted community knows how to make a complaint.

Environment Protection Licence



Licence - 4627

M7.3 The preceding two conditions do not apply until 3 months after: the date of the issue of this licence.

M7.4 Noise and Vibration Complaints

a) The licensee must investigate noise and vibration complaints received via the telephone complaints line from the occupants of dwellings or the management of noise sensitive receivers other than dwellings:

(i) within two hours of the complaint being made; or

(ii) in accordance with any prior complaint management agreement the licensee may have made with the complainant.

6 Reporting Conditions

R1 Annual return documents

R1.1 The licensee must complete and supply to the EPA an Annual Return in the approved form comprising:

1. a Statement of Compliance,
2. a Monitoring and Complaints Summary,
3. a Statement of Compliance - Licence Conditions,
4. a Statement of Compliance - Load based Fee,
5. a Statement of Compliance - Requirement to Prepare Pollution Incident Response Management Plan,
6. a Statement of Compliance - Requirement to Publish Pollution Monitoring Data; and
7. a Statement of Compliance - Environmental Management Systems and Practices.

At the end of each reporting period, the EPA will provide to the licensee a copy of the form that must be completed and returned to the EPA.

R1.2 An Annual Return must be prepared in respect of each reporting period, except as provided below.

R1.3 Where this licence is transferred from the licensee to a new licensee:

- a) the transferring licensee must prepare an Annual Return for the period commencing on the first day of the reporting period and ending on the date the application for the transfer of the licence to the new licensee is granted; and
- b) the new licensee must prepare an Annual Return for the period commencing on the date the application for the transfer of the licence is granted and ending on the last day of the reporting period.

R1.4 Where this licence is surrendered by the licensee or revoked by the EPA or Minister, the licensee must prepare an Annual Return in respect of the period commencing on the first day of the reporting period and ending on:

- a) in relation to the surrender of a licence - the date when notice in writing of approval of the surrender is given; or
- b) in relation to the revocation of the licence - the date from which notice revoking the licence operates.

Environment Protection Licence



Licence - 4627

- R1.5 The Annual Return for the reporting period must be supplied to the EPA via eConnect *EPA* or by registered post not later than 60 days after the end of each reporting period or in the case of a transferring licence not later than 60 days after the date the transfer was granted (the 'due date').
- R1.6 The licensee must retain a copy of the Annual Return supplied to the EPA for a period of at least 4 years after the Annual Return was due to be supplied to the EPA.
- R1.7 Within the Annual Return, the Statements of Compliance must be certified and the Monitoring and Complaints Summary must be signed by:
- the licence holder; or
 - by a person approved in writing by the EPA to sign on behalf of the licence holder.

Note: The term "reporting period" is defined in the dictionary at the end of this licence. Do not complete the Annual Return until after the end of the reporting period.

Note: An application to transfer a licence must be made in the approved form for this purpose.

R2 Notification of environmental harm

- R2.1 Notifications must be made by telephoning the Environment Line service on 131 555.
- R2.2 The licensee must provide written details of the notification to the EPA within 7 days of the date on which the incident occurred.

Note: The licensee or its employees must notify all relevant authorities of incidents causing or threatening material harm to the environment immediately after the person becomes aware of the incident in accordance with the requirements of Part 5.7 of the Act.

R3 Written report

- R3.1 Where an authorised officer of the EPA suspects on reasonable grounds that:
- where this licence applies to premises, an event has occurred at the premises; or
 - where this licence applies to vehicles or mobile plant, an event has occurred in connection with the carrying out of the activities authorised by this licence, and the event has caused, is causing or is likely to cause material harm to the environment (whether the harm occurs on or off premises to which the licence applies), the authorised officer may request a written report of the event.
- R3.2 The licensee must make all reasonable inquiries in relation to the event and supply the report to the EPA within such time as may be specified in the request.
- R3.3 The request may require a report which includes any or all of the following information:
- the cause, time and duration of the event;
 - the type, volume and concentration of every pollutant discharged as a result of the event;
 - the name, address and business hours telephone number of employees or agents of the licensee, or a specified class of them, who witnessed the event;

Environment Protection Licence



Licence - 4627

- d) the name, address and business hours telephone number of every other person (of whom the licensee is aware) who witnessed the event, unless the licensee has been unable to obtain that information after making reasonable effort;
- e) action taken by the licensee in relation to the event, including any follow-up contact with any complainants;
- f) details of any measure taken or proposed to be taken to prevent or mitigate against a recurrence of such an event; and
- g) any other relevant matters.

R3.4 The EPA may make a written request for further details in relation to any of the above matters if it is not satisfied with the report provided by the licensee. The licensee must provide such further details to the EPA within the time specified in the request.

R4 Other reporting conditions

R4.1 Noise and Vibration Reports

a) Upon request of an authorised officer of the EPA, the licensee must submit a Preliminary Investigation Report to the EPA in respect of any noise or vibration monitoring undertaken in accordance with the requirements of Condition M7.4.

b) The Preliminary Investigation Report must be submitted to the EPA by 4.30 pm of the afternoon of the next working day following any noise or vibration monitoring.

c) The Preliminary Investigation Report must:

(i) include numerical and/or graphical representation of the noise and vibration monitoring results; and

(ii) highlight any detected exceedance of noise goals or limits specified in:

(1) this licence;

(2) relevant noise guidelines; and

(3) relevant noise modelling.

d) In the event of any exceedance of the noise goals or limits referred to in Condition R4.2 c)(ii), the licensee must:

(i) modify work practices and methods and implement all practicable and reasonable measures to prevent a recurrence of the exceedance; and

(ii) submit a Follow-up Investigation Report to the EPA within 5 working days of any noise or vibration monitoring having been undertaken (unless otherwise approved by the EPA).

e) the Follow-up Investigation Report must include:

(i) confirmation of whether noise monitoring has been undertaken in accordance with AS2659 and the

Environment Protection Licence

Licence - 4627



compliance monitoring guidance provided in the INP;

(ii) confirmation of whether vibration monitoring has been undertaken in accordance with the guidance provided in the Assessing vibration: a technical guideline (DEC, 2006);

(iii) details of the prevailing meteorological conditions during the period when the noise or vibration monitoring was undertaken;

(iv) a map of each noise and vibration monitoring location in relation to the noise source, including relevant distances;

(v) numerical and graphical representation of the noise and vibration monitoring results;

(vi) an analysis of the noise and vibration monitoring results;

(vii) details of any remedial action taken in relation to the matter; and

(viii) in cases not the subject of remedial action, detailed justification of the decision not to undertake remedial action.

7 General Conditions

G1 Copy of licence kept at the premises or plant

G1.1 A copy of this licence must be kept at the premises to which the licence applies.

G1.2 The licence must be produced to any authorised officer of the EPA who asks to see it.

G1.3 The licence must be available for inspection by any employee or agent of the licensee working at the premises.

G2 Contact number for incidents and responsible employees

G2.1 The licensee must provide the EPA with up to date contact details to enable the EPA:

(a) to contact either the licensee or a representative of the licensee who can respond at all times to incidents relating to the premises, and

(b) to contact the licensee's senior employees or agents authorised at all times to:

(i) speak on behalf of the licensee, and

(ii) provide any information or document required under licence.

G2.2 The contact details required by Condition G2.1 above must include:

Environment Protection Licence

Licence - 4627



a) the full name and title of the authorised representatives and the scope of their respective authorisations; and

b) the direct telephone number, mobile number, pager number, fax number, email address and postal address for contacting each authorised representative.

8 Pollution Studies and Reduction Programs

U1 Odour management improvement program

U1.1 On or before 22 May 2017 the licensee must engage a suitably qualified and experienced independent consultant that is not currently involved with the project. The consultant must identify methods of mitigating and/or managing landfill odour sources in order to reduce or eliminate odour impacts beyond the boundary of the premises.

U1.2 On or before Friday 16 June 2017 the licensee must submit to the EPA:
 - a report from the consultant with recommendations to minimise, reduce and/or manage landfill odour sources in order to eliminate or reduce to the maximum extent practicable odour impacts beyond the boundary of the premises, and;
 - an action plan identifying those actions that are feasible and reasonable to implement and the timeframes for implementation.

U1.3 The licensee must implement the action plan after consultation with the EPA.

U1.4 The licensee must install, commission and commence operation of the additional Leachate Treatment Plant on 19 June 2017, or as soon as practicable thereafter as agreed in writing with the EPA.

9 Special Conditions

E1 Definitions

E1.1 Special Dictionary

Term	Meaning
------	---------

Environment Protection Licence

Licence - 4627



High Noise Impact Works	grinding metal, concrete or masonry, rock drilling, line drilling, smooth drum vibratory rolling, bitumen milling and profiling, jackhammering, rock hammering or rock breaking, impact piling and other work occurring on surfaces that generates noise with impulsive, intermittent, tonal or low frequency characteristics
Project Website	means a website that is under the control of the licensee and which is easily available for viewing by the community
Background Noise Level	means the overall single figure background noise level for each assessment period. Determination of the rating background level is by the method described in the NSW Industrial Noise Policy (EPA 2000)
Rating Background Level	means the overall single figure background noise level for each assessment period. Determination of the rating background level is by the method described in the NSW Industrial Noise Policy (EPA 2000)
Potentially affected noise sensitive receivers	means identifying residences or sensitive land users that may be affected by noise from the construction project under this licence
Noise Catchment Area	means groups of sensitive receivers that are similarly affected by noise from the construction works
Leachate	means (1) Water which has come into contact with waste (other than inert waste); and/or the area where waste is exhumed or exhumed waste is stored; and (2) Liquid removed from the leachate collection system on the premises.; and (3) that has been treated in the leachate pre-treatment facility on the premises required under a Sydney Water Trade Waste Agreement.

Environment Protection Licence

Licence - 4627

Dictionary

General Dictionary

3DGM [in relation to a concentration limit]	Means the three day geometric mean, which is calculated by multiplying the results of the analysis of three samples collected on consecutive days and then taking the cubed root of that amount. Where one or more of the samples is zero or below the detection limit for the analysis, then 1 or the detection limit respectively should be used in place of those samples
Act	Means the Protection of the Environment Operations Act 1997
activity	Means a scheduled or non-scheduled activity within the meaning of the Protection of the Environment Operations Act 1997
actual load	Has the same meaning as in the Protection of the Environment Operations (General) Regulation 2009
AM	Together with a number, means an ambient air monitoring method of that number prescribed by the <i>Approved Methods for the Sampling and Analysis of Air Pollutants in New South Wales</i> .
AMG	Australian Map Grid
anniversary date	The anniversary date is the anniversary each year of the date of issue of the licence. In the case of a licence continued in force by the Protection of the Environment Operations Act 1997, the date of issue of the licence is the first anniversary of the date of issue or last renewal of the licence following the commencement of the Act.
annual return	Is defined in R1.1
Approved Methods Publication	Has the same meaning as in the Protection of the Environment Operations (General) Regulation 2009
assessable pollutants	Has the same meaning as in the Protection of the Environment Operations (General) Regulation 2009
BOD	Means biochemical oxygen demand
CEM	Together with a number, means a continuous emission monitoring method of that number prescribed by the <i>Approved Methods for the Sampling and Analysis of Air Pollutants in New South Wales</i> .
COD	Means chemical oxygen demand
composite sample	Unless otherwise specifically approved in writing by the EPA, a sample consisting of 24 individual samples collected at hourly intervals and each having an equivalent volume.
cond.	Means conductivity
environment	Has the same meaning as in the Protection of the Environment Operations Act 1997
environment protection legislation	Has the same meaning as in the Protection of the Environment Administration Act 1991
EPA	Means Environment Protection Authority of New South Wales.
fee-based activity classification	Means the numbered short descriptions in Schedule 1 of the Protection of the Environment Operations (General) Regulation 2009.
general solid waste (non-putrescible)	Has the same meaning as in Part 3 of Schedule 1 of the Protection of the Environment Operations Act 1997

Environment Protection Licence

Licence - 4627

flow weighted composite sample	Means a sample whose composites are sized in proportion to the flow at each composites time of collection.
general solid waste (putrescible)	Has the same meaning as in Part 3 of Schedule 1 of the Protection of the Environment Operations Act 1997
grab sample	Means a single sample taken at a point at a single time
hazardous waste	Has the same meaning as in Part 3 of Schedule 1 of the Protection of the Environment Operations Act 1997
licensee	Means the licence holder described at the front of this licence
load calculation protocol	Has the same meaning as in the Protection of the Environment Operations (General) Regulation 2009
local authority	Has the same meaning as in the Protection of the Environment Operations Act 1997
material harm	Has the same meaning as in section 147 Protection of the Environment Operations Act 1997
MBAS	Means methylene blue active substances
Minister	Means the Minister administering the Protection of the Environment Operations Act 1997
mobile plant	Has the same meaning as in Part 3 of Schedule 1 of the Protection of the Environment Operations Act 1997
motor vehicle	Has the same meaning as in the Protection of the Environment Operations Act 1997
O&G	Means oil and grease
percentile [in relation to a concentration limit of a sample]	Means that percentage [eg.50%] of the number of samples taken that must meet the concentration limit specified in the licence for that pollutant over a specified period of time. In this licence, the specified period of time is the Reporting Period unless otherwise stated in this licence.
plant	Includes all plant within the meaning of the Protection of the Environment Operations Act 1997 as well as motor vehicles.
pollution of waters [or water pollution]	Has the same meaning as in the Protection of the Environment Operations Act 1997
premises	Means the premises described in condition A2.1
public authority	Has the same meaning as in the Protection of the Environment Operations Act 1997
regional office	Means the relevant EPA office referred to in the Contacting the EPA document accompanying this licence
reporting period	For the purposes of this licence, the reporting period means the period of 12 months after the issue of the licence, and each subsequent period of 12 months. In the case of a licence continued in force by the Protection of the Environment Operations Act 1997, the date of issue of the licence is the first anniversary of the date of issue or last renewal of the licence following the commencement of the Act.
restricted solid waste	Has the same meaning as in Part 3 of Schedule 1 of the Protection of the Environment Operations Act 1997
scheduled activity	Means an activity listed in Schedule 1 of the Protection of the Environment Operations Act 1997
special waste	Has the same meaning as in Part 3 of Schedule 1 of the Protection of the Environment Operations Act 1997
TM	Together with a number, means a test method of that number prescribed by the <i>Approved Methods for the Sampling and Analysis of Air Pollutants in New South Wales</i> .

Environment Protection Licence



Licence - 4627

TSP	Means total suspended particles
TSS	Means total suspended solids
Type 1 substance	Means the elements antimony, arsenic, cadmium, lead or mercury or any compound containing one or more of those elements
Type 2 substance	Means the elements beryllium, chromium, cobalt, manganese, nickel, selenium, tin or vanadium or any compound containing one or more of those elements
utilisation area	Means any area shown as a utilisation area on a map submitted with the application for this licence
waste	Has the same meaning as in the Protection of the Environment Operations Act 1997
waste type	Means liquid, restricted solid waste, general solid waste (putrescible), general solid waste (non - putrescible), special waste or hazardous waste

Mr Bernie Weir

Environment Protection Authority

(By Delegation)

Date of this edition: 15-January-2001

Environment Protection Licence



Licence - 4627

End Notes

- 1 Licence transferred through application 140516, approved on 18-Jun-2001, which came into effect on 01-Dec-2000.
- 2 Licence varied by change to Common Name field, issued on 16-Jan-2002, which came into effect on 16-Jan-2002.
- 3 Licence transferred through application 140976, approved on 25-Jan-2002, which came into effect on 23-Jan-2002.
- 4 Licence varied by correction of File Number , issued on 04-Apr-2002, which came into effect on 04-Apr-2002.
- 5 Licence varied by notice 1024148, issued on 07-Jan-2003, which came into effect on 07-Jan-2003.
- 6 Licence varied by notice 1028703, issued on 04-Jul-2003, which came into effect on 29-Jul-2003.
- 7 Licence varied by notice 1040317, issued on 02-Sep-2004, which came into effect on 27-Sep-2004.
- 8 Licence varied by notice 1041133, issued on 29-Sep-2004, which came into effect on 24-Oct-2004.
- 9 Licence varied by notice 1042998, issued on 30-Sep-2005, which came into effect on 04-Oct-2005.
- 10 Licence varied by notice 1057971, issued on 31-Mar-2006, which came into effect on 25-Apr-2006.
- 11 Licence varied by notice 1061862, issued on 02-Nov-2006, which came into effect on 02-Nov-2006.
- 12 Licence varied by notice 1067504, issued on 04-Dec-2006, which came into effect on 04-Dec-2006.
- 13 Licence varied by notice 1068196, issued on 21-Jun-2007, which came into effect on 21-Jun-2007.
- 14 Licence varied by notice 1093194, issued on 31-Oct-2008, which came into effect on 31-Oct-2008.
- 15 Condition A1.3 Not applicable varied by notice issued on <issue date> which came into effect on <effective date>
- 16 Licence varied by notice 1099148, issued on 30-Mar-2009, which came into effect on 30-Mar-2009.
- 17 Licence varied by Correction to EPA Region data record., issued on 25-Jun-2010, which came into effect on 25-Jun-2010.

Environment Protection Licence



Licence - 4627

18	Licence varied by correction to DECCW Region data record, issued on 07-Jul-2010, which came into effect on 07-Jul-2010.
19	Licence varied by notice 1507165 issued on 03-Aug-2012
20	Licence transferred through application 1529361 approved on 23-Mar-2015 , which came into effect on 23-Mar-2015
21	Licence transferred through application 1535067 approved on 27-Oct-2015 , which came into effect on 14-Oct-2015
22	Licence varied by notice 1535597 issued on 27-Apr-2016
23	Licence varied by notice 1540748 issued on 20-May-2016
24	Licence transferred through application 1541481 approved on 17-Jun-2016 , which came into effect on 20-Jun-2016
25	Licence varied by notice 1545898 issued on 26-Oct-2016
26	Licence varied by notice 1549125 issued on 08-Feb-2017
27	Licence varied by notice 1550068 issued on 16-Mar-2017
28	Licence varied by notice 1550780 issued on 31-Mar-2017
29	Licence varied by notice 1551203 issued on 13-Apr-2017
30	Licence varied by notice 1552047 issued on 17-May-2017
31	Licence varied by notice 1552509 issued on 26-May-2017
32	Licence varied by notice 1552538 issued on 26-May-2017
33	Licence varied by notice 1552934 issued on 14-Jun-2017
34	Licence varied by notice 1555235 issued on 25-Aug-2017
35	Licence varied by notice 1560076 issued on 12-Jan-2018