

Environment Protection Licence Monitoring Data



Project Name: WestConnex - M4 East
Environmental Protection Licence Number: 20734
Link to Public register on EPA Website: WestConnex - Explore the Route - Stage 1 M4 (Parramatta to Haberfield) - M4 East Resources
Premise Address: WestConnex M4 East, Homebush Bay Drive to Parramatta Road, Burwood NSW 2134
Monitoring Data for the Period: 01 March 2017 to 31 March 2017

Monitoring Type: Water Discharge Monitoring

Discharge/Monitoring Point	Date Sampled	Turbidity (NTU)		Total Suspended Solids (mg/L)		pH		Oil & Grease		Monitoring Frequency	Comment
		Licence Limit *	Results	Licence Limit	Results	Licence Limit	Results	Licence Limit	Results		
DP080	1-Mar	90	22.3	50	7.6	6.5 - 8.5	7.70	None Visible	nil	Per discharge	Compliant
DP092	1-Mar	90	34.6	50	NTU*	6.5 - 8.5	7.10	None Visible	nil	Per discharge	Compliant
DP092	1-Mar	90	30.5	50	NTU*	6.5 - 8.5	7.90	None Visible	nil	Per discharge	Compliant
DP032	1-Mar	90	13.9	50	NTU*	6.5 - 8.5	7.80	None Visible	nil	Per discharge	Compliant
DP032	1-Mar	90	44.3	50	NTU*	6.5 - 8.5	8.48	None Visible	nil	Per discharge	Compliant
DP080	1-Mar	90	15.5	50	NTU*	6.5 - 8.5	7.50	None Visible	nil	Per discharge	Compliant
DP041	2-Mar	90	13.4	50	NTU*	6.5 - 8.5	7.02	None Visible	nil	Per discharge	Compliant
DP100	2-Mar	90	69.3	50	NTU*	6.5 - 8.5	7.66	None Visible	nil	Per discharge	Compliant
DP080	2-Mar	90	77.2	50	NTU*	6.5 - 8.5	7.40	None Visible	nil	Per discharge	Compliant
DP092	2-Mar	90	17.5	50	NTU*	6.5 - 8.5	8.20	None Visible	nil	Per discharge	Compliant
DP092	2-Mar	90	3	50	NTU*	6.5 - 8.5	8.30	None Visible	nil	Per discharge	Compliant
DP101	2-Mar	90	15.3	50	NTU*	6.5 - 8.5	6.58	None Visible	nil	Per discharge	Compliant
DP092	2-Mar	90	32.5	50	NTU*	6.5 - 8.5	7.80	None Visible	nil	Per discharge	Compliant
DP080	2-Mar	90	40.2	50	NTU*	6.5 - 8.5	7.40	None Visible	nil	Per discharge	Compliant
DP010	2-Mar	90	41	50	NTU*	6.5 - 8.5	6.80	None Visible	nil	Per discharge	Compliant
DP031	2-Mar	90	22	50	NTU*	6.5 - 8.5	6.80	None Visible	nil	Per discharge	Compliant
DP032	2-Mar	90	58.5	50	NTU*	6.5 - 8.5	6.80	None Visible	nil	Per discharge	Compliant
DP032	2-Mar	90	10	50	NTU*	6.5 - 8.5	7.42	None Visible	nil	Per discharge	Compliant
DP010	2-Mar	90	29	50	NTU*	6.5 - 8.5	7.40	None Visible	nil	Per discharge	Compliant
DP092	3-Mar	90	6	50	10	6.5 - 8.5	7.00	None Visible	nil	Per discharge	Compliant
DP080	3-Mar	90	30.4	50	NTU*	6.5 - 8.5	7.30	None Visible	nil	Per discharge	Compliant
DP070	3-Mar	90	10	50	NTU*	6.5 - 8.5	7.70	None Visible	nil	Per discharge	Compliant
DP092	3-Mar	90	14.3	50	NTU*	6.5 - 8.5	8.10	None Visible	nil	Per discharge	Compliant
DP080	3-Mar	90	30.6	50	NTU*	6.5 - 8.5	8.00	None Visible	nil	Per discharge	Compliant
DP092	3-Mar	90	18.4	50	NTU*	6.5 - 8.5	8.10	None Visible	nil	Per discharge	Compliant
DP032	3-Mar	90	46	50	NTU*	6.5 - 8.5	7.31	None Visible	nil	Per discharge	Compliant
DP080	4-Mar	90	37.7	50	NTU*	6.5 - 8.5	7.90	None Visible	nil	Per discharge	Compliant
DP092	4-Mar	90	41	50	NTU*	6.5 - 8.5	7.90	None Visible	nil	Per discharge	Compliant
DP093	6-Mar	90	10	50	NTU*	6.5 - 8.5	6.80	None Visible	nil	Per discharge	Compliant
DP092	6-Mar	90	14.3	50	NTU*	6.5 - 8.5	7.70	None Visible	nil	Per discharge	Compliant
DP080	6-Mar	90	4	50	NTU*	6.5 - 8.5	7.10	None Visible	nil	Per discharge	Compliant
DP101	6-Mar	90	33.9	50	NTU*	6.5 - 8.5	6.94	None Visible	nil	Per discharge	Compliant
DP100	6-Mar	90	52	50	NTU*	6.5 - 8.5	6.84	None Visible	nil	Per discharge	Compliant
DP100	6-Mar	90	51	50	24	6.5 - 8.5	6.77	None Visible	nil	Per discharge	Compliant
DP080	6-Mar	90	7.8	50	NTU*	6.5 - 8.5	7.80	None Visible	nil	Per discharge	Compliant
DP101	6-Mar	90	59.8	50	NTU*	6.5 - 8.5	7.21	None Visible	nil	Per discharge	Compliant

DP092	6-Mar	90	8	50	NTU*	6.5 - 8.5	7.90	None Visible	nil	Per discharge	Compliant
DP080	6-Mar	90	9.4	50	NTU*	6.5 - 8.5	7.50	None Visible	nil	Per discharge	Compliant
DP100	6-Mar	90	26.1	50	NTU*	6.5 - 8.5	7.30	None Visible	nil	Per discharge	Compliant
DP053	6-Mar	90	5.5	50	NTU*	6.5 - 8.5	6.50	None Visible	nil	Per discharge	Compliant
DP010	6-Mar	90	15.5	50	NTU*	6.5 - 8.5	6.60	None Visible	nil	Per discharge	Compliant
DP032	6-Mar	90	70	50	NTU*	6.5 - 8.5	6.70	None Visible	nil	Per discharge	Compliant
DP031	6-Mar	90	65	50	NTU*	6.5 - 8.5	8.47	None Visible	nil	Per discharge	Compliant
DP031	6-Mar	90	40.6	50	NTU*	6.5 - 8.5	8.34	None Visible	nil	Per discharge	Compliant
DP080	7-Mar	90	4.9	50	16	6.5 - 8.5	7.50	None Visible	nil	Per discharge	Compliant
DP051	7-Mar	90	2.46	50	NTU*	6.5 - 8.5	7.28	None Visible	nil	Per discharge	Compliant
DP061	7-Mar	90	3.5	50	NTU*	6.5 - 8.5	7.70	None Visible	nil	Per discharge	Compliant
DP080	7-Mar	90	44.6	50	NTU*	6.5 - 8.5	8.00	None Visible	nil	Per discharge	Compliant
DP092	7-Mar	90	2.9	50	NTU*	6.5 - 8.5	7.80	None Visible	nil	Per discharge	Compliant
DP092	7-Mar	90	9.6	50	NTU*	6.5 - 8.5	7.50	None Visible	nil	Per discharge	Compliant
DP092	7-Mar	90	0.2	50	NTU*	6.5 - 8.5	6.80	None Visible	nil	Per discharge	Compliant
DP093	7-Mar	90	0	50	NTU*	6.5 - 8.5	8.20	None Visible	nil	Per discharge	Compliant
DP010	7-Mar	90	8.3	50	40	6.5 - 8.5	8.10	None Visible	nil	Per discharge	Compliant
DP012	7-Mar	90	4.4	50	NTU*	6.5 - 8.5	7.20	None Visible	nil	Per discharge	Compliant
DP031	7-Mar	90	29.2	50	NTU*	6.5 - 8.5	8.13	None Visible	nil	Per discharge	Compliant
DP032	7-Mar	90	8.5	50	1	6.5 - 8.5	6.90	None Visible	nil	Per discharge	Compliant
DP030	7-Mar	90	1.1	50	NTU*	6.5 - 8.5	6.65	None Visible	nil	Per discharge	Compliant
DP100	8-Mar	90	0.7	50	NTU*	6.5 - 8.5	7.00	None Visible	nil	Per discharge	Compliant
DP101	8-Mar	90	2	50	NTU*	6.5 - 8.5	6.80	None Visible	nil	Per discharge	Compliant
DP010	8-Mar	90	3.8	50	NTU*	6.5 - 8.5	8.35	None Visible	nil	Per discharge	Compliant
DP040	8-Mar	90	1.5	50	2.1	6.5 - 8.5	6.60	None Visible	nil	Per discharge	Compliant
DP031	8-Mar	90	30	50	NTU*	6.5 - 8.5	8.10	None Visible	nil	Per discharge	Compliant
DP032	8-Mar	90	15	50	NTU*	6.5 - 8.5	8.40	None Visible	nil	Per discharge	Compliant
DP080	8-Mar	90	9.6	50	NTU*	6.5 - 8.5	7.70	None Visible	nil	Per discharge	Compliant
DP090	8-Mar	90	16	50	NTU*	6.5 - 8.5	7.20	None Visible	nil	Per discharge	Compliant
DP090	8-Mar	90	22.4	50	NTU*	6.5 - 8.5	6.60	None Visible	nil	Per discharge	Compliant
DP050	9-Mar	90	6.2	50	12	6.5 - 8.5	6.50	None Visible	nil	Per discharge	Compliant
DP010	9-Mar	90	4.4	50	NTU*	6.5 - 8.5	8.00	None Visible	nil	Per discharge	Compliant
DP090	9-Mar	90	14.9	50	NTU*	6.5 - 8.5	6.90	None Visible	nil	Per discharge	Compliant
DP081	9-Mar	90	5.5	50	NTU*	6.5 - 8.5	6.80	None Visible	nil	Per discharge	Compliant
DP081	9-Mar	90	15.5	50	NTU*	6.5 - 8.5	6.60	None Visible	nil	Per discharge	Compliant
DP080	9-Mar	90	34.6	50	NTU*	6.5 - 8.5	7.50	None Visible	nil	Per discharge	Compliant
DP093	9-Mar	90	15.4	50	NTU*	6.5 - 8.5	8.40	None Visible	nil	Per discharge	Compliant
DP010	10-Mar	90	6.6	50	NTU*	6.5 - 8.5	7.80	None Visible	nil	Per discharge	Compliant
DP012	10-Mar	90	43	50	NTU*	6.5 - 8.5	7.20	None Visible	nil	Per discharge	Compliant
DP050	10-Mar	90	32.5	50	NTU*	6.5 - 8.5	6.57	None Visible	nil	Per discharge	Compliant
DP031	10-Mar	90	12.1	50	NTU*	6.5 - 8.5	8.12	None Visible	nil	Per discharge	Compliant
DP081	10-Mar	90	58.7	50	NTU*	6.5 - 8.5	7.90	None Visible	nil	Per discharge	Compliant
DP081	10-Mar	90	5.3	50	NTU*	6.5 - 8.5	7.10	None Visible	nil	Per discharge	Compliant
DP070	10-Mar	90	25.3	50	NTU*	6.5 - 8.5	8.50	None Visible	nil	Per discharge	Compliant
DP090	10-Mar	90	1.9	50	NTU*	6.5 - 8.5	8.40	None Visible	nil	Per discharge	Compliant
DP031	13-Mar	90	12.7	50	NTU*	6.5 - 8.5	7.89	None Visible	nil	Per discharge	Compliant
DP031	13-Mar	90	2.89	50	NTU*	6.5 - 8.5	7.08	None Visible	nil	Per discharge	Compliant
DP092	13-Mar	90	15	50	2.7	6.5 - 8.5	7.30	None Visible	nil	Per discharge	Compliant
DP080	13-Mar	90	18.1	50	NTU*	6.5 - 8.5	7.60	None Visible	nil	Per discharge	Compliant
DP040	14-Mar	90	37.2	50	NTU*	6.5 - 8.5	8.30	None Visible	nil	Per discharge	Compliant

DP051	14-Mar	90	3.17	50	NTU*	6.5 - 8.5	7.35	None Visible	nil	Per discharge	Compliant
DP061	14-Mar	90	2	50	NTU*	6.5 - 8.5	7.30	None Visible	nil	Per discharge	Compliant
DP010	14-Mar	90	25.7	50	NTU*	6.5 - 8.5	7.10	None Visible	nil	Per discharge	Compliant
DP032	14-Mar	90	9	50	NTU*	6.5 - 8.5	7.15	None Visible	nil	Per discharge	Compliant
DP031	14-Mar	90	7.55	50	NTU*	6.5 - 8.5	21.90	None Visible	nil	Per discharge	Compliant
DP031	15-Mar	90	16.24	50	NTU*	6.5 - 8.5	7.57	None Visible	nil	Per discharge	Compliant
DP050	15-Mar	90	3.8	50	NTU*	6.5 - 8.5	6.80	None Visible	nil	Per discharge	Compliant
DP010	15-Mar	90	36.1	50	NTU*	6.5 - 8.5	7.20	None Visible	nil	Per discharge	Compliant
DP032	15-Mar	90	8.44	50	NTU*	6.5 - 8.5	8.27	None Visible	nil	Per discharge	Compliant
DP030	15-Mar	90	2.76	50	NTU*	6.5 - 8.5	7.91	None Visible	nil	Per discharge	Compliant
DP080	15-Mar	90	10.8	50	NTU*	6.5 - 8.5	7.10	None Visible	nil	Per discharge	Compliant
DP100	16-Mar	90	7.8	50	NTU*	6.5 - 8.5	7.20	None Visible	nil	Per discharge	Compliant
DP101	16-Mar	90	17.3	50	NTU*	6.5 - 8.5	7.00	None Visible	nil	Per discharge	Compliant
DP031	16-Mar	90	3.78	50	NTU*	6.5 - 8.5	7.55	None Visible	nil	Per discharge	Compliant
DP100	16-Mar	90	7.8	50	NTU*	6.5 - 8.5	7.19	None Visible	nil	Per discharge	Compliant
DP101	16-Mar	90	17.3	50	NTU*	6.5 - 8.5	7.03	None Visible	nil	Per discharge	Compliant
DP080	16-Mar	90	4.1	50	NTU*	6.5 - 8.5	7.30	None Visible	nil	Per discharge	Compliant
DP050	17-Mar	90	10.2	50	NTU*	6.5 - 8.5	6.90	None Visible	nil	Per discharge	Compliant
DP070	17-Mar	90	30.8	50	NTU*	6.5 - 8.5	7.90	None Visible	nil	Per discharge	Compliant
DP100	17-Mar	90	39.2	50	NTU*	6.5 - 8.5	7.00	None Visible	nil	Per discharge	Compliant
DP010	17-Mar	90	34.8	50	NTU*	6.5 - 8.5	7.70	None Visible	nil	Per discharge	Compliant
DP031	17-Mar	90	63.1	50	NTU*	6.5 - 8.5	7.63	None Visible	nil	Per discharge	Compliant
DP080	18-Mar	90	14.9	50	NTU*	6.5 - 8.5	7.70	None Visible	nil	Per discharge	Compliant
DP031	18-Mar	90	40.3	50	NTU*	6.5 - 8.5	7.51	None Visible	nil	Per discharge	Compliant
DP050	20-Mar	90	20.5	50	NTU*	6.5 - 8.5	6.80	None Visible	nil	Per discharge	Compliant
DP080	20-Mar	90	18.9	50	NTU*	6.5 - 8.5	6.70	None Visible	nil	Per discharge	Compliant
DP100	20-Mar	90	17.3	50	NTU*	6.5 - 8.5	7.00	None Visible	nil	Per discharge	Compliant
DP101	20-Mar	90	32.9	50	NTU*	6.5 - 8.5	7.40	None Visible	nil	Per discharge	Compliant
DP101	20-Mar	90	65.5	50	NTU*	6.5 - 8.5	7.20	None Visible	nil	Per discharge	Compliant
DP092	20-Mar	90	13.3	50	NTU*	6.5 - 8.5	7.10	None Visible	nil	Per discharge	Compliant
DP101	20-Mar	90	65.5	50	NTU*	6.5 - 8.5	7.20	None Visible	nil	Per discharge	Compliant
DP100	20-Mar	90	17.3	50	NTU*	6.5 - 8.5	7.00	None Visible	nil	Per discharge	Compliant
DP011	20-Mar	90	40.5	50	NTU*	6.5 - 8.5	7.76	None Visible	nil	Per discharge	Compliant
DP031	20-Mar	90	18.6	50	NTU*	6.5 - 8.5	7.49	None Visible	nil	Per discharge	Compliant
DP032	20-Mar	90	8.53	50	NTU*	6.5 - 8.5	7.81	None Visible	nil	Per discharge	Compliant
DP100	21-Mar	90	12.3	50	NTU*	6.5 - 8.5	6.90	None Visible	nil	Per discharge	Compliant
DP051	21-Mar	90	2.5	50	NTU*	6.5 - 8.5	7.37	None Visible	nil	Per discharge	Compliant
DP080	21-Mar	90	1.4	50	NTU*	6.5 - 8.5	6.80	None Visible	nil	Per discharge	Compliant
DP080	21-Mar	90	15.1	50	NTU*	6.5 - 8.5	7.70	None Visible	nil	Per discharge	Compliant
DP101	21-Mar	90	7.6	50	NTU*	6.5 - 8.5	7.40	None Visible	nil	Per discharge	Compliant
DP101	21-Mar	90	7.2	50	NTU*	6.5 - 8.5	7.40	None Visible	nil	Per discharge	Compliant
DP100	21-Mar	90	12.3	50	NTU*	6.5 - 8.5	6.85	None Visible	nil	Per discharge	Compliant
DP080	21-Mar	90	3.2	50	NTU*	6.5 - 8.5	6.90	None Visible	nil	Per discharge	Compliant
DP080	21-Mar	90	32.2	50	NTU*	6.5 - 8.5	7.20	None Visible	nil	Per discharge	Compliant
DP080	21-Mar	90	8.4	50	NTU*	6.5 - 8.5	6.90	None Visible	nil	Per discharge	Compliant
DP080	21-Mar	90	46.9	50	NTU*	6.5 - 8.5	7.10	None Visible	nil	Per discharge	Compliant
DP100	21-Mar	90	14.5	50	10	6.5 - 8.5	7.60	None Visible	nil	Per discharge	Compliant
DP101	21-Mar	90	7.6	50	NTU*	6.5 - 8.5	7.40	None Visible	nil	Per discharge	Compliant
DP010	21-Mar	90	23.1	50	NTU*	6.5 - 8.5	8.30	None Visible	nil	Per discharge	Compliant
DP061	21-Mar	90	1.4	50	NTU*	6.5 - 8.5	6.87	None Visible	nil	Per discharge	Compliant

DP011	21-Mar	90	33	50	NTU*	6.5 - 8.5	7.60	None Visible	nil	Per discharge	Compliant
DP032	21-Mar	90	4.51	50	NTU*	6.5 - 8.5	6.78	None Visible	nil	Per discharge	Compliant
DP031	21-Mar	90	62.3	50	NTU*	6.5 - 8.5	7.09	None Visible	nil	Per discharge	Compliant
DP031	21-Mar	90	24.1	50	NTU*	6.5 - 8.5	7.26	None Visible	nil	Per discharge	Compliant
DP031	21-Mar	90	12.97	50	NTU*	6.5 - 8.5	7.12	None Visible	nil	Per discharge	Compliant
DP041	22-Mar	90	4	50	16	6.5 - 8.5	7.81	None Visible	nil	Per discharge	Compliant
DP050	22-Mar	90	25.1	50	NTU*	6.5 - 8.5	6.80	None Visible	nil	Per discharge	Compliant
DP080	22-Mar	90	44.8	50	NTU*	6.5 - 8.5	8.00	None Visible	nil	Per discharge	Compliant
DP092	22-Mar	90	13.7	50	NTU*	6.5 - 8.5	8.10	None Visible	nil	Per discharge	Compliant
DP101	22-Mar	90	41.6	50	NTU*	6.5 - 8.5	7.25	None Visible	nil	Per discharge	Compliant
DP092	22-Mar	90	19.8	50	NTU*	6.5 - 8.5	6.90	None Visible	nil	Per discharge	Compliant
DP080	22-Mar	90	0.9	50	NTU*	6.5 - 8.5	7.30	None Visible	nil	Per discharge	Compliant
DP101	22-Mar	90	41.6	50	NTU*	6.5 - 8.5	7.70	None Visible	nil	Per discharge	Compliant
DP010	22-Mar	90	25.6	50	NTU*	6.5 - 8.5	7.40	None Visible	nil	Per discharge	Compliant
DP031	22-Mar	90	14.11	50	NTU*	6.5 - 8.5	8.21	None Visible	nil	Per discharge	Compliant
DP032	22-Mar	90	8.61	50	NTU*	6.5 - 8.5	6.78	None Visible	nil	Per discharge	Compliant
DP031	22-Mar	90	24.1	50	34	6.5 - 8.5	7.26	None Visible	nil	Per discharge	Compliant
DP030	22-Mar	90	8.25	50	NTU*	6.5 - 8.5	8.28	None Visible	nil	Per discharge	Compliant
DP031	22-Mar	90	20	50	NTU*	6.5 - 8.5	7.64	None Visible	nil	Per discharge	Compliant
DP092	23-Mar	90	9.8	50	NTU*	6.5 - 8.5	7.20	None Visible	nil	Per discharge	Compliant
DP100	23-Mar	90	4	50	NTU*	6.5 - 8.5	6.70	None Visible	nil	Per discharge	Compliant
DP080	23-Mar	90	59.4	50	NTU*	6.5 - 8.5	7.60	None Visible	nil	Per discharge	Compliant
DP092	23-Mar	90	0.1	50	NTU*	6.5 - 8.5	8.30	None Visible	nil	Per discharge	Compliant
DP101	23-Mar	90	30.3	50	NTU*	6.5 - 8.5	7.80	None Visible	nil	Per discharge	Compliant
DP101	23-Mar	90	15.6	50	NTU*	6.5 - 8.5	7.10	None Visible	nil	Per discharge	Compliant
DP092	23-Mar	90	2.6	50	NTU*	6.5 - 8.5	7.00	None Visible	nil	Per discharge	Compliant
DP092	23-Mar	90	24.7	50	NTU*	6.5 - 8.5	7.10	None Visible	nil	Per discharge	Compliant
DP080	23-Mar	90	38.1	50	NTU*	6.5 - 8.5	7.20	None Visible	nil	Per discharge	Compliant
DP080	23-Mar	90	30.4	50	NTU*	6.5 - 8.5	7.40	None Visible	nil	Per discharge	Compliant
DP100	23-Mar	90	3	50	NTU*	6.5 - 8.5	6.70	None Visible	nil	Per discharge	Compliant
DP010	23-Mar	90	40	50	NTU*	6.5 - 8.5	7.40	None Visible	nil	Per discharge	Compliant
DP031	23-Mar	90	5.71	50	NTU*	6.5 - 8.5	7.29	None Visible	nil	Per discharge	Compliant
DP031	23-Mar	90	42.4	50	NTU*	6.5 - 8.5	6.84	None Visible	nil	Per discharge	Compliant
DP032	23-Mar	90	16.8	50	NTU*	6.5 - 8.5	7.09	None Visible	nil	Per discharge	Compliant
DP080	24-Mar	90	39	50	NTU*	6.5 - 8.5	7.50	None Visible	nil	Per discharge	Compliant
DP092	24-Mar	90	4.3	50	NTU*	6.5 - 8.5	7.50	None Visible	nil	Per discharge	Compliant
DP101	24-Mar	90	39	50	NTU*	6.5 - 8.5	7.80	None Visible	nil	Per discharge	Compliant
DP080	24-Mar	90	16.4	50	NTU*	6.5 - 8.5	7.60	None Visible	nil	Per discharge	Compliant
DP080	24-Mar	90	0.8	50	NTU*	6.5 - 8.5	6.50	None Visible	nil	Per discharge	Compliant
DP092	24-Mar	90	3.5	50	NTU*	6.5 - 8.5	7.00	None Visible	nil	Per discharge	Compliant
DP092	24-Mar	90	13.3	50	8	6.5 - 8.5	7.40	None Visible	nil	Per discharge	Compliant
DP101	24-Mar	90	25	50	NTU*	6.5 - 8.5	7.50	None Visible	nil	Per discharge	Compliant
DP070	24-Mar	90	5.3	50	NTU*	6.5 - 8.5	7.60	None Visible	nil	Per discharge	Compliant
DP010	24-Mar	90	13	50	NTU*	6.5 - 8.5	7.30	None Visible	nil	Per discharge	Compliant
DP032	24-Mar	90	6.5	50	NTU*	6.5 - 8.5	6.61	None Visible	nil	Per discharge	Compliant
DP031	24-Mar	90	33.9	50	NTU*	6.5 - 8.5	7.62	None Visible	nil	Per discharge	Compliant
DP031	24-Mar	90	22.9	50	NTU*	6.5 - 8.5	8.17	None Visible	nil	Per discharge	Compliant
DP031	24-Mar	90	34.5	50	NTU*	6.5 - 8.5	6.58	None Visible	nil	Per discharge	Compliant
DP050	25-Mar	90	56	50	NTU*	6.5 - 8.5	6.60	None Visible	nil	Per discharge	Compliant
DP050	25-Mar	90	0.7	50	NTU*	6.5 - 8.5	7.60	None Visible	nil	Per discharge	Compliant

DP092	25-Mar	90	43.1	50	NTU*	6.5 - 8.5	8.40	None Visible	nil	Per discharge	Compliant
DP101	25-Mar	90	43.1	50	NTU*	6.5 - 8.5	6.90	None Visible	nil	Per discharge	Compliant
DP96	25-Mar	90	67.9	50	NTU*	6.5 - 8.5	7.60	None Visible	nil	Per discharge	Compliant
DP032	25-Mar	90	3.82	50	NTU*	6.5 - 8.5	6.62	None Visible	nil	Per discharge	Compliant
DP032	25-Mar	90	3.86	50	NTU*	6.5 - 8.5	6.56	None Visible	nil	Per discharge	Compliant
DP092	26-Mar	90	54.1	50	NTU*	6.5 - 8.5	7.70	None Visible	nil	Per discharge	Compliant
DP031	27-Mar	90	31.5	50	NTU*	6.5 - 8.5	7.65	None Visible	nil	Per discharge	Compliant
DP032	27-Mar	90	10.7	50	NTU*	6.5 - 8.5	7.12	None Visible	nil	Per discharge	Compliant
DP040	27-Mar	90	47	50	NTU*	6.5 - 8.5	6.80	None Visible	nil	Per discharge	Compliant
DP041	27-Mar	90	1.3	50	NTU*	6.5 - 8.5	6.52	None Visible	nil	Per discharge	Compliant
DP101	27-Mar	90	10.9	50	NTU*	6.5 - 8.5	8.00	None Visible	nil	Per discharge	Compliant
DP96	27-Mar	90	43.5	50	NTU*	6.5 - 8.5	7.90	None Visible	nil	Per discharge	Compliant
DP080	27-Mar	90	7.6	50	NTU*	6.5 - 8.5	7.90	None Visible	nil	Per discharge	Compliant
DP010	27-Mar	90	11.3	50	NTU*	6.5 - 8.5	7.50	None Visible	nil	Per discharge	Compliant
DP050	27-Mar	90	2	50	NTU*	6.5 - 8.5	7.80	None Visible	nil	Per discharge	Compliant
DP011	27-Mar	90	32.7	50	NTU*	6.5 - 8.5	8.20	None Visible	nil	Per discharge	Compliant
DP041	28-Mar	90	4.9	50	NTU*	6.5 - 8.5	6.60	None Visible	nil	Per discharge	Compliant
DP061	28-Mar	90	0.2	50	NTU*	6.5 - 8.5	7.40	None Visible	nil	Per discharge	Compliant
DP061	28-Mar	90	2.5	50	NTU*	6.5 - 8.5	7.21	None Visible	nil	Per discharge	Compliant
DP050	28-Mar	90	34.5	50	NTU*	6.5 - 8.5	8.40	None Visible	nil	Per discharge	Compliant
DP080	28-Mar	90	81.9	50	NTU*	6.5 - 8.5	7.40	None Visible	nil	Per discharge	Compliant
DP101	28-Mar	90	19.4	50	NTU*	6.5 - 8.5	6.90	None Visible	nil	Per discharge	Compliant
DP090	28-Mar	90	67.3	50	NTU*	6.5 - 8.5	7.90	None Visible	nil	Per discharge	Compliant
DP080	28-Mar	90	5.7	50	NTU*	6.5 - 8.5	7.20	None Visible	nil	Per discharge	Compliant
DP092	28-Mar	90	7.3	50	NTU*	6.5 - 8.5	6.80	None Visible	nil	Per discharge	Compliant
DP092	28-Mar	90	2.1	50	NTU*	6.5 - 8.5	8.40	None Visible	nil	Per discharge	Compliant
DP090	28-Mar	90	67.1	50	NTU*	6.5 - 8.5	7.30	None Visible	nil	Per discharge	Compliant
DP010	28-Mar	90	8.75	50	NTU*	6.5 - 8.5	7.20	None Visible	nil	Per discharge	Compliant
DP011	28-Mar	90	56	50	NTU*	6.5 - 8.5	7.70	None Visible	nil	Per discharge	Compliant
DP032	28-Mar	90	12.68	50	NTU*	6.5 - 8.5	7.64	None Visible	nil	Per discharge	Compliant
DP031	28-Mar	90	22.1	50	NTU*	6.5 - 8.5	6.70	None Visible	nil	Per discharge	Compliant
DP031	28-Mar	90	22.1	50	NTU*	6.5 - 8.5	6.97	None Visible	nil	Per discharge	Compliant
DP040	29-Mar	90	3.4	50	NTU*	6.5 - 8.5	8.40	None Visible	nil	Per discharge	Compliant
DP041	29-Mar	90	16.1	50	NTU*	6.5 - 8.5	7.15	None Visible	nil	Per discharge	Compliant
DP080	29-Mar	90	1.6	50	NTU*	6.5 - 8.5	7.90	None Visible	nil	Per discharge	Compliant
DP080	29-Mar	90	52.8	50	12	6.5 - 8.5	6.90	None Visible	nil	Per discharge	Compliant
DP96	29-Mar	90	31.2	50	NTU*	6.5 - 8.5	6.60	None Visible	nil	Per discharge	Compliant
DP090	29-Mar	90	34.1	50	NTU*	6.5 - 8.5	8.00	None Visible	nil	Per discharge	Compliant
DP010	29-Mar	90	18.7	50	NTU*	6.5 - 8.5	7.35	None Visible	nil	Per discharge	Compliant
DP031	29-Mar	90	0.3	50	NTU*	6.5 - 8.5	7.91	None Visible	nil	Per discharge	Compliant
DP080	30-Mar	90	6	50	NTU*	6.5 - 8.5	7.50	None Visible	nil	Per discharge	Compliant
DP070	30-Mar	90	0.3	50	NTU*	6.5 - 8.5	7.70	None Visible	nil	Per discharge	Compliant
DP030	30-Mar	90	5.42	50	NTU*	6.5 - 8.5	6.87	None Visible	nil	Per discharge	Compliant
DP080	30-Mar	90	14.2	50	NTU*	6.5 - 8.5	7.70	None Visible	nil	Per discharge	Compliant
DP080	30-Mar	90	65.4	50	NTU*	6.5 - 8.5	7.70	None Visible	nil	Per discharge	Compliant
PD050	31-Mar	90	69.6	50	NTU*	6.5 - 8.5	6.77	None Visible	nil	Per discharge	Compliant
PD050	31-Mar	90	67.5	50	NTU*	6.5 - 8.5	8.50	None Visible	nil	Per discharge	Compliant
DP031	31-Mar	90	30.2	50	NTU*	6.5 - 8.5	7.08	None Visible	nil	Per discharge	Compliant
DP011	31-Mar	90	55	50	NTU*	6.5 - 8.5	8.30	None Visible	nil	Per discharge	Compliant
DP096	31-Mar	90	31.3	50	NTU*	6.5 - 8.5	7.70	None Visible	nil	Per discharge	Compliant

DP080	31-Mar	90	49.2	50	NTU*	6.5 - 8.5	7.60	None Visible	nil	Per discharge	Compliant
DP101	31-Mar	90	22.5	50	NTU*	6.5 - 8.5	7.20	None Visible	nil	Per discharge	Compliant
DP101	31-Mar	90	44.3	50	NTU*	6.5 - 8.5	7.20	None Visible	nil	Per discharge	Compliant
DP097	31-Mar	90	32.7	50	NTU*	6.5 - 8.5	7.90	None Visible	nil	Per discharge	Compliant

Key

* A correlation between TSS and Turbidity has been established for the project. Adopting a 25% safety factor, a NTU result of 90 has been adopted to ensure samples have a TSS <50mg/L